# CONNECTICUT SOILS
# BETHLEHEM, CONNECTICUT

| Map Symbiol | Map Unit | Map Symbiol | Map Unit |
|---|---|---|---|
| 2 | Ridgebury fine sandy loam | 90B | Stockbridge loam, 3 to 8 percent slopes |
| 3 | Ridgebury, Leicester, and Whitman soils, extremely stony | 90C | Stockbridge loam, 8 to 15 percent slopes |
| 4 | Leicester fine sandy loam | 90D | Stockbridge loam, 15 to 25 percent slopes |
| 5 | Wilbraham silt loam | 91B | Stockbridge loam, 3 to 8 percent slopes, very stony |
| 6 | Wilbraham and Menlo soils, extremely stony | 91C | Stockbridge loam, 8 to 15 percent slopes, very stony |
| 7 | Mudgepond silt loam | 91D | Stockbridge loam, 15 to 35 percent slopes, very stony |
| 8 | Mudgepond and Alden soils, extremely stony | 92B | Nellis fine sandy loam, 3 to 8 percent slopes |
| 9 | Scitico, Shaker, and Maybid soils | 92C | Nellis fine sandy loam, 8 to 15 percent slopes |
| 10 | Raynham silt loam | 92D | Nellis fine sandy loam, 15 to 25 percent slopes |
| 12 | Raypol silt loam | 93C | Nellis fine sandy loam, 3 to 15 percent slopes, very stony |
| 13 | Walpole sandy loam | 94C | Farmington-Nellis complex, 3 to 15 percent slopes, very rocky |
| 14 | Fredon silt loam | 94E | Farmington-Nellis complex, 15 to 35 percent slopes, very rocky |
| 15 | Scarboro muck | 95C | Farmington-Rock outcrop complex, 3 to 15 percent slopes |
| 16 | Halsey silt loam | 95E | Farmington-Rock outcrop complex, 15 to 45 percent slopes |
| 17 | Timakwa and Natchaug soils | 96 | Ipswich mucky peat |
| 18 | Catden and Freetown soils | 97 | Pawcatuck mucky peat |
| 20A | Ellington silt loam, 0 to 5 percent slopes | 98 | Westbrook mucky peat |
| 21A | Ninigret and Tisbury soils, 0 to 5 percent slopes | 99 | Westbrook mucky peat, low salt |
| 22A | Hero gravelly loam, 0 to 3 percent slopes | 100 | Suncook loamy fine sand |
| 22B | Hero gravelly loam, 3 to 8 percent slopes | 101 | Occum fine sandy loam |
| 23A | Sudbury sandy loam, 0 to 5 percent slopes | 102 | Pootatuck fine sandy loam |
| 24A | Deerfield loamy fine sand, 0 to 3 percent slopes | 103 | Rippowam fine sandy loam |
| 25A | Brancroft silt loam, 0 to 3 percent slopes | 104 | Bash silt loam |
| 25B | Brancroft silt loam, 3 to 8 percent slopes | 105 | Hadley silt loam |
| 25C | Brancroft silt loam, 8 to 15 percent slopes | 106 | Winooski silt loam |
| 26A | Berlin silt loam, 0 to 3 percent slopes | 107 | Limerick and Lim soils |
| 26B | Berlin silt loam, 3 to 8 percent slopes | 108 | Saco silt loam |
| 27A | Belgrade silt loam, 0 to 5 percent slopes | 109 | Fluvaquents-Udifluvents complex, frequently flooded |
| 28A | Elmridge fine sandy loam, 0 to 3 percent slopes | 221A | Ninigret-Urban land complex, 0 to 5 percent slopes |
| 28B | Elmridge fine sandy loam, 3 to 8 percent slopes | 224A | Deerfield-Urban land complex, 0 to 3 percent slopes |
| 29A | Agawam fine sandy loam, 0 to 3 percent slopes | 225B | Brancroft-Urban land complex, 0 to 8 percent slopes |
| 29B | Agawam fine sandy loam, 3 to 8 percent slopes | 226B | Berlin-Urban land complex, 0 to 8 percent slopes |
| 29C | Agawam fine sandy loam, 8 to 15 percent slopes | 228B | Elmridge-Urban land complex, 0 to 8 percent slopes |
| 30A | Branford silt loam, 0 to 3 percent slopes | 229B | Agawam-Urban land complex, 0 to 8 percent slopes |
| 30B | Branford silt loam, 3 to 8 percent slopes | 229C | Agawam-Urban land complex, 8 to 15 percent slopes |
| 30C | Branford silt loam, 8 to 15 percent slopes | 230B | Branford-Urban land complex, 0 to 8 percent slopes |
| 31A | Copake fine sandy loam, 0 to 3 percent slopes | 230C | Branford-Urban land complex, 8 to 15 percent slopes |
| 31B | Copake fine sandy loam, 3 to 8 percent slopes | 232B | Haven-Urban land complex, 0 to 8 percent slopes |
| 31C | Copake gravelly loam, 8 to 15 percent slopes | 234B | Merrimac-Urban land complex, 0 to 8 percent slopes |
| 32A | Haven and Enfield soils, 0 to 3 percent slopes | 235B | Penwood-Urban land complex, 0 to 8 percent slopes |
| 32B | Haven and Enfield soils, 3 to 8 percent slopes | 236B | Windsor-Urban land complex, 0 to 8 percent slopes |
| 32C | Haven and Enfield soils, 8 to 15 percent slopes | 237A | Manchester-Urban land complex, 0 to 3 percent slopes |
| 33A | Hartford sandy loam, 0 to 3 percent slopes | 237C | Manchester-Urban land complex, 3 to 15 percent slopes |
| 33B | Hartford sandy loam, 3 to 8 percent slopes | 238A | Hinckley-Urban land complex, 0 to 3 percent slopes |
| 34A | Merrimac sandy loam, 0 to 3 percent slopes | 238C | Hinckley-Urban land complex, 3 to 15 percent slopes |
| 34B | Merrimac sandy loam, 3 to 8 percent slopes | 240B | Ludlow-Urban land complex, 0 to 8 percent slopes |
| 34C | Merrimac sandy loam, 8 to 15 percent slopes | 243B | Rainbow-Urban land complex, 0 to 8 percent slopes |
| 35A | Penwood loamy sand, 0 to 3 percent slopes | 245B | Woodbridge-Urban land complex, 0 to 8 percent slopes |
| 35B | Penwood loamy sand, 3 to 8 percent slopes | 245C | Woodbridge-Urban land complex, 8 to 15 percent slopes |
| 36A | Windsor loamy sand, 0 to 3 percent slopes | 248B | Georgia-Urban land complex, 2 to 8 percent slopes |
| 36B | Windsor loamy sand, 3 to 8 percent slopes | 250B | Sutton-Urban land complex, 0 to 8 percent slopes |
| 36C | Windsor loamy sand, 8 to 15 percent slopes | 253B | Wapping-Urban land complex, 0 to 8 percent slopes |
| 37A | Manchester gravelly sandy loam, 0 to 3 percent slopes | 255B | Watchaug-Urban land complex, 0 to 8 percent slopes |
| 37C | Manchester gravelly sandy loam, 3 to 15 percent slopes | 260B | Charlton-Urban land complex, 3 to 8 percent slopes |
| 37E | Manchester gravelly sandy loam, 15 to 45 percent slopes | 260C | Charlton-Urban land complex, 8 to 15 percent slopes |
| 38A | Hinckley gravelly sandy loam, 0 to 3 percent slopes | 260D | Charlton-Urban land complex, 15 to 25 percent slopes |
| 38C | Hinckley gravelly sandy loam, 3 to 15 percent slopes | 263B | Cheshire-Urban land complex, 3 to 8 percent slopes |
| 38E | Hinckley gravelly sandy loam, 15 to 45 percent slopes | 263C | Cheshire-Urban land complex, 8 to 15 percent slopes |
| 39A | Groton gravelly sandy loam, 0 to 3 percent slopes | 266B | Narragansett-Urban land complex, 3 to 8 percent slopes |
| 39C | Groton gravelly sandy loam, 3 to 15 percent slopes | 269B | Yalesville-Urban land complex, 3 to 8 percent slopes |
| 39E | Groton gravelly sandy loam, 15 to 45 percent slopes | 269C | Yalesville-Urban land complex, 8 to 15 percent slopes |
| 40A | Ludlow silt loam, 0 to 3 percent slopes | 273C | Urban land-Charlton-Chatfield complex, rocky, 3 to 15 percent slopes |
| 40B | Ludlow silt loam, 3 to 8 percent slopes | 273E | Urban land-Charlton-Chatfield complex, rocky, 15 to 45 percent slopes |
| 41B | Ludlow silt loam, 2 to 8 percent slopes, very stony | 275C | Urban land-Chatfield complex, rocky, 3 to 15 percent slopes |
| 42C | Ludlow silt loam, 2 to 15 percent slopes, extremely stony | 275E | Urban land-Chatfield-Rock outcrop complex, 15 to 45 percent slopes |
| 43A | Rainbow silt loam, 0 to 3 percent slopes | 282B | Broadbrook-Urban land complex, 3 to 8 percent slopes |
| 43B | Rainbow silt loam, 3 to 8 percent slopes | 284B | Paxton-Urban land complex, 3 to 8 percent slopes |
| 44B | Rainbow silt loam, 2 to 8 percent slopes, very stony | 284C | Paxton-Urban land complex, 8 to 15 percent slopes |
| 45A | Woodbridge fine sandy loam, 0 to 3 percent slopes | 284D | Paxton-Urban land complex, 15 to 25 percent slopes |
| 45B | Woodbridge fine sandy loam, 3 to 8 percent slopes | 287B | Wethersfield-Urban land complex, 3 to 8 percent slopes |
| 45C | Woodbridge fine sandy loam, 8 to 15 percent slopes | 287C | Wethersfield-Urban land complex, 8 to 15 percent slopes |
| 46B | Woodbridge fine sandy loam, 2 to 8 percent slopes, very stony | 287D | Wethersfield-Urban land complex, 15 to 25 percent slopes |
| 46C | Woodbridge fine sandy loam, 8 to 15 percent slopes, very stony | 290B | Stockbridge-Urban land complex, 3 to 8 percent slopes |
| 47C | Woodbridge fine sandy loam, 2 to 15 percent slopes, extremely stony | 290C | Stockbridge-Urban land complex, 8 to 15 percent slopes |
| 48B | Georgia and Amenia silt loams, 2 to 8 percent slopes | 290D | Stockbridge-Urban land complex, 15 to 25 percent slopes |
| 48C | Georgia and Amenia silt loams, 8 to 15 percent slopes | 301 | Beaches-Udipsamments complex, coastal |
| 49B | Georgia and Amenia silt loams, 3 to 8 percent slopes, very stony | 302 | Dumps |
| 49C | Georgia and Amenia silt loams, 8 to 15 percent slopes, very stony | 303 | Pits, quarries |
| 50A | Sutton fine sandy loam, 0 to 3 percent slopes | 304 | Udorthents, loamy, very steep |
| 50B | Sutton fine sandy loam, 3 to 8 percent slopes | 305 | Udorthents-Pits complex, gravelly |
| 51B | Sutton fine sandy loam, 2 to 8 percent slopes, very stony | 306 | Udorthents-Urban land complex |
| 52C | Sutton fine sandy loam, 2 to 15 percent slopes, extremely stony | 307 | Urban land |
| 53A | Wapping very fine sandy loam, 0 to 3 percent slopes | 308 | Udorthents, smoothed |
| 53B | Wapping very fine sandy loam, 3 to 8 percent slopes | 309 | Udorthents, flood control |
| 54B | Wapping very fine sandy loam, 2 to 8 percent slopes, very stony | 310 | Udorthents, periodically flooded |
| 55A | Watchaug fine sandy loam, 0 to 3 percent slopes | 401C | Macomber-Taconic complex, 3 to 15 percent slopes, very rocky |
| 55B | Watchaug fine sandy loam, 3 to 8 percent slopes | 402D | Taconic-Macomber-Rock outcrop complex, 15 to 25 percent slopes |
| 56B | Watchaug fine sandy loam, 2 to 8 percent slopes, very stony | 403C | Taconic-Rock outcrop complex, 3 to 15 percent slopes |
| 57B | Gloucester gravelly sandy loam, 3 to 8 percent slopes | 403E | Taconic-Rock outcrop complex, 15 to 45 percent slopes |
| 57C | Gloucester gravelly sandy loam, 8 to 15 percent slopes | 403F | Taconic-Rock outcrop complex, 45 to 70 percent slopes |
| 57D | Gloucester gravelly sandy loam, 15 to 25 percent slopes | 405C | Dummerston gravelly loam, 3 to 15 percent slopes, very stony |
| 58B | Gloucester gravelly sandy loam, 3 to 8 percent slopes, very stony | 405E | Dummerston gravelly loam, 15 to 45 percent slopes, very stony |
| 58C | Gloucester gravelly sandy loam, 8 to 15 percent slopes, very stony | 407C | Lanesboro loam, 3 to 15 percent slopes, very stony |
| 59C | Gloucester gravelly sandy loam, 3 to 15 percent slopes, extremely stony | 407E | Lanesboro loam, 15 to 45 percent slopes, very stony |
| 59D | Gloucester gravelly sandy loam, 15 to 35 percent slopes, extremely stony | 408C | Fullam silt loam, 3 to 15 percent slopes, very stony |
| 60B | Canton and Charlton soils, 3 to 8 percent slopes | 409B | Brayton mucky silt loam, 0 to 8 percent slopes, very stony |
| 60C | Canton and Charlton soils, 8 to 15 percent slopes | 412B | Bice fine sandy loam, 3 to 8 percent slopes |
| 60D | Canton and Charlton soils, 15 to 25 percent slopes | 412C | Bice fine sandy loam, 8 to 15 percent slopes |
| 61B | Canton and Charlton soils, 3 to 8 percent slopes, very stony | 412D | Bice fine sandy loam, 15 to 25 percent slopes |
| 61C | Canton and Charlton soils, 8 to 15 percent slopes, very stony | 413C | Bice-Millsite complex, 3 to 15 percent slopes, very rocky |
| 62C | Canton and Charlton soils, 3 to 15 percent slopes, extremely stony | 413E | Bice-Millsite complex, 15 to 45 percent slopes, very rocky |
| 62D | Canton and Charlton soils, 15 to 35 percent slopes, extremely stony | 414 | Fredon silt loam, cold |
| 63B | Cheshire fine sandy loam, 3 to 8 percent slopes | 415C | Westminster-Millsite-Rock outcrop complex, 3 to 15 percent slopes |
| 63C | Cheshire fine sandy loam, 8 to 15 percent slopes | 415E | Westminster-Millsite-Rock outcrop complex, 15 to 45 percent slopes |
| 63D | Cheshire fine sandy loam, 15 to 25 percent slopes | 416E | Rock outcrop-Westminster complex, 8 to 45 percent slopes |
| 64B | Cheshire fine sandy loam, 3 to 8 percent slopes, very stony | 416F | Rock outcrop-Westminster complex, 45 to 70 percent slopes |
| 64C | Cheshire fine sandy loam, 8 to 15 percent slopes, very stony | 417B | Bice fine sandy loam, 3 to 8 percent slopes, very stony |
| 65C | Cheshire fine sandy loam, 3 to 15 percent slopes, extremely stony | 417C | Bice fine sandy loam, 8 to 15 percent slopes, very stony |
| 65D | Cheshire fine sandy loam, 15 to 35 percent slopes, extremely stony | 417D | Bice fine sandy loam, 15 to 25 percent slopes, very stony |
| 66B | Narragansett silt loam, 2 to 8 percent slopes | 418C | Schroon fine sandy loam, 2 to 15 percent slopes, very stony |
| 66C | Narragansett silt loam, 8 to 15 percent slopes | 420A | Schroon fine sandy loam, 0 to 3 percent slopes |
| 67B | Narragansett silt loam, 3 to 8 percent slopes, very stony | 420B | Schroon fine sandy loam, 3 to 8 percent slopes |
| 67C | Narragansett silt loam, 8 to 15 percent slopes, very stony | 421A | Ninigret fine sandy loam, cold, 0 to 3 percent slopes |
| 68C | Narragansett silt loam, 3 to 15 percent slopes, extremely stony | 423A | Sudbury sandy loam, cold, 0 to 3 percent slopes |
| 68D | Narragansett silt loam, 15 to 25 percent slopes, extremely stony | 424B | Shelburne fine sandy loam, 3 to 8 percent slopes |
| 69B | Yalesville fine sandy loam, 3 to 8 percent slopes | 424C | Shelburne fine sandy loam, 8 to 15 percent slopes |
| 69C | Yalesville fine sandy loam, 8 to 15 percent slopes | 424D | Shelburne fine sandy loam, 15 to 25 percent slopes |
| 70C | Branford-Holyoke complex, 3 to 15 percent slopes, very rocky | 425B | Shelburne fine sandy loam, 3 to 8 percent slopes, very stony |
| 71C | Brookfield-Brimfield-Rock outcrop complex, 3 to 15 percent slopes | 425C | Shelburne fine sandy loam, 8 to 15 percent slopes, very stony |
| 71E | Brookfield-Brimfield-Rock outcrop complex, 15 to 45 percent slopes | 426D | Shelburne fine sandy loam, 15 to 35 percent slopes, extremely stony |
| 73C | Charlton-Chatfield complex, 3 to 15 percent slopes, very rocky | 427B | Ashfield fine sandy loam, 2 to 8 percent slopes, very stony |
| 73E | Charlton-Chatfield complex, 15 to 45 percent slopes, very rocky | 427C | Ashfield fine sandy loam, 8 to 15 percent slopes, very stony |
| 74C | Narragansett-Hollis complex, 3 to 15 percent slopes, very rocky | 428A | Ashfield fine sandy loam, 0 to 3 percent slopes |
| 75C | Hollis-Chatfield-Rock outcrop complex, 3 to 15 percent slopes | 428B | Ashfield fine sandy loam, 3 to 8 percent slopes |
| 75E | Hollis-Chatfield-Rock outcrop complex, 15 to 45 percent slopes | 428C | Ashfield fine sandy loam, 8 to 15 percent slopes |
| 76E | Rock outcrop-Hollis complex, 3 to 45 percent slopes | 429A | Agawam fine sandy loam, cold, 0 to 3 percent slopes |
| 76F | Rock outcrop-Hollis complex, 45 to 60 percent slopes | 429B | Agawam fine sandy loam, cold, 3 to 8 percent slopes |
| 77C | Cheshire-Holyoke complex, 3 to 15 percent slopes, very rocky | 429C | Agawam fine sandy loam, cold, 8 to 15 percent slopes |
| 77D | Cheshire-Holyoke complex, 15 to 35 percent slopes, very rocky | 433 | Moosilauke sandy loam |
| 78C | Holyoke-Rock outcrop complex, 3 to 15 percent slopes | 434A | Merrimac sandy loam, cold, 0 to 3 percent slopes |
| 78E | Holyoke-Rock outcrop complex, 15 to 45 percent slopes | 434B | Merrimac sandy loam, cold, 3 to 8 percent slopes |
| 79E | Rock outcrop-Holyoke complex, 3 to 45 percent slopes | 434C | Merrimac sandy loam, cold, 8 to 15 percent slopes |
| 80B | Bernardston silt loam, 3 to 8 percent slopes | 435 | Scarboro muck, cold |
| 80C | Bernardston silt loam, 8 to 15 percent slopes | 436 | Halsey silt loam, cold |
| 81C | Bernardston silt loam, 3 to 15 percent slopes, extremely stony | 437 | Wonsqueak mucky peat |
| 81D | Bernardston silt loam, 15 to 25 percent slopes, extremely stony | 438 | Bucksport muck |
| 82B | Broadbrook silt loam, 3 to 8 percent slopes | 440A | Boscawen gravelly sandy loam, 0 to 3 percent slopes |
| 82C | Broadbrook silt loam, 8 to 15 percent slopes | 440C | Boscawen gravelly sandy loam, 3 to 15 percent slopes |
| 82D | Broadbrook silt loam, 15 to 25 percent slopes | 440E | Boscawen gravelly sandy loam, 15 to 45 percent slopes |
| 83B | Broadbrook silt loam, 3 to 8 percent slopes, very stony | 442 | Brayton loam |
| 83C | Broadbrook silt loam, 8 to 15 percent slopes, very stony | 443 | Brayton-Loonmeadow complex, extremely stony |
| 84B | Paxton and Montauk fine sandy loams, 3 to 8 percent slopes | 448B | Hogansburg loam, 3 to 8 percent slopes |
| 84C | Paxton and Montauk fine sandy loams, 8 to 15 percent slopes | 449B | Hogansburg loam, 3 to 8 percent slopes, very stony |
| 84D | Paxton and Montauk fine sandy loams, 15 to 25 percent slopes | 449C | Hogansburg loam, 8 to 15 percent slopes, very stony |
| 85B | Paxton and Montauk fine sandy loams, 3 to 8 percent slopes, very stony | 450B | Pyrities loam, 3 to 8 percent slopes |
| 85C | Paxton and Montauk fine sandy loams, 8 to 15 percent slopes, very stony | 450C | Pyrities loam, 8 to 15 percent slopes |
| 86C | Paxton and Montauk fine sandy loams, 3 to 15 percent slopes, extremely stony | 450D | Pyrities loam, 15 to 25 percent slopes |
| 86D | Paxton and Montauk fine sandy loams, 15 to 35 percent slopes, extremely stony | 451B | Pyrities loam, 3 to 8 percent slopes, very stony |
| 87B | Wethersfield loam, 3 to 8 percent slopes | 451C | Pyrities loam, 8 to 15 percent slopes, very stony |
| 87C | Wethersfield loam, 8 to 15 percent slopes | 451D | Pyrities loam, 15 to 25 percent slopes, very stony |
| 87D | Wethersfield loam, 15 to 25 percent slopes | 457 | Mudgepond silt loam, cold |
| 88B | Wethersfield loam, 3 to 8 percent slopes, very stony | 458 | Mudgepond and Alden soils, extremely stony, cold |
| 88C | Wethersfield loam, 8 to 15 percent slopes, very stony | 501 | Ondawa fine sandy loam |
| 89C | Wethersfield loam, 3 to 15 percent slopes, extremely stony | 503 | Rumney fine sandy loam |
| 89D | Wethersfield loam, 15 to 35 percent slopes, extremely stony | 508 | Medomak silt loam |

## EXPLANATION

Soils occur in a repeating and recognizable pattern on the landscape. Soil maps are made by separating the landscape into map units. Each soil map unit differs in some respect from all others in a survey area and is uniquely identified on a soil map. A soil map unit represents an area dominated by one to three major soil components. They are usually a named soil series (i.e. Paxton or Canton), but can also be a miscellaneous area (i.e. Rock Outcrop or Urban Land), and potentially many minor components both similar and dissimilar. For example, soil map unit 75C Hollis-Chatfield-Rock outcrop complex, contains 35% Hollis, 30% Chatfield, 15% Rock outcrop. The other 20% may include Charlton, Leicester, Sutton, Brimfield, an unnamed soil with sandy subsoil, and an unnamed soil with red parent material.

The soil survey contains interpretations or ratings of the soils for various land uses which are based on the soil properties that affect the intended use. Soil interpretations provide users of soil survey information with predictions of soil behavior to help in the development of reasonable and effective alternatives for the use and management of soil, water, air, plant, and animal resources. Interpretations are dynamic and periodically revised to reflect improved soils data, new technology, and the needs of the soil survey users. In Connecticut, there are approximately 70 soil properties and 90 interpretations that are contained within the soils database.

**Example of soil map units**




## HOW TO USE THIS MAP

The soil map unit symbol is the key to indentifying the multitude of descriptions, properties, interpretations, reports and ratings that are included in the soil survey. Some of the most requested interpretations are available from CT ECO, such as Farmland Soils, Connecticut Inland Wetland Soils, Soil Storm Water Management ratings, and others.

Additional information is available in the Soil Survey of the State of Connecticut http://www.ct.nrcs.usda.gov/soils.html and at the Soil Data Mart http://soildatamart.nrcs.usda.gov .

Soil Map Unit

## DATA SOURCES

SOIL DATA - Soil map units shown on this map are from the 2007 Soil Survey Geographic Database (SSURGO) database produced by the USDA, Natural Resources Conservation Service (NRCS). The soils were mapped at a scale of 1:12,000 with a minimum size delineation of three acres. Enlargement of this map beyond the original source scale will not show additional detail and can cause misunderstanding of the detail of mapping. For the most recent soils data contact the NRCS.

BASE MAP DATA - Based on data originally from 1:24,000-scale USGS 7.5 minute topographic quadrangle maps published between 1969 and 1992. It includes political boundaries, railroads, airports, hydrography, geographic names and geographic places. Streets and street names are from Tele Atlas copyrighted data. Base map information is neither current nor complete.

RELATED INFORMATION
This map is intended to be printed at its original dimensions in order to maintain the 1:24,000 scale (1 inch = 2000 feet).

MAPS AND DIGITAL DATA - Visit the CT ECO website for this map and a variety of others. Visit the NRCS soils website for the soils data shown on this map. Visit the CT DEP website to download the base map digital spatial data shown on this map.

MAP LOCATION



1 0.5 0 1 Miles

1000 0 1000 2000 3000 4000 5000 6000 7000 Feet

1 0.5 0 1 Kilometers

SCALE 1:24,000 (1 inch = 2,000 feet) when map is printed at original size (48 x 36 in)

State Plane Coordinate System of 1983, Zone 3526
Lambert Conformal Conic Projection
North American Datum of 1983


STATE OF CONNECTICUT
DEPARTMENT OF
ENVIRONMENTAL PROTECTION
79 Elm Street
Hartford, CT 06106-5127

Map created by CT DEP
October 2009
Map is not colorfast
Protect from light and moisture

U.S. Department of Agriculture
NRCS Natural Resources Conservation Service


The USDA is an equal opportunity provider and employer.