
HYDRIC SOILS

BETHEL, CONNECTICUT

LEGEND

Hydric Soils are those soils that formed under conditions of saturation, flooding, or ponding long enough during the growing season to develop anaerobic conditions in the upper part. Under natural conditions, these soils are either saturated or inundated long enough during the growing season to support the growth and reproduction of hydrophytic

> Not Rated soils have characteristics that show extreme variability from one location to another. Often these areas are urban land complexes or miscellaneous areas. An on-site investigation is required to determine soil conditions present at the



EXPLANATION

List of Map Units dominated by soils meeting Hydric criteria

This map is prepared as a guide to identify the general location of	Map Unit Symbol	Map Unit Name
soil map units dominated by soils that meet the definition of	2	Ridgebury fine sandy loam
hydric criteria and, in addition, have at least one of the hydric soil	3	Ridgebury, Leicester, and Whitman soils, extremely stony
indicators. These soils identified can help in land use planning,	4	Leicester fine sandy loam
conservation planning, and assessment of potential wildlife habitat, however, onsite investigation is recommended to determine the hydric soils on a specific site.	5	Wilbraham silt loam
	6	Wilbraham and Menlo soils, extremely stony
	7	Mudgepond silt loam
Hydric soils are defined by the National Technical Committee for Hydric Soils (NTCHS) as soils that formed under conditions of saturation, flooding, or ponding long enough during the growing	8	Mudgepond and Alden soils, extremely stony
	9	Scitico, Shaker, and Maybid soils
	10	Raynham silt loam
season to develop anaerobic conditions in the upper part (Federal	12	Raypol silt loam
Register, 1994). Under natural conditions, these soils are either saturated or inundated long enough during the growing season to support the growth and reproduction of hydrophytic vegetation (wetland indicator plant species). Soils that are sufficiently wet	13	Walpole sandy loam
	14	Fredon silt loam
	15	Scarboro muck
because of artificial measures are included in the concept of hydric	16	Halsey silt loam
soils. Also, soils in which the hydrology has been artificially	17	Timakwa and Natchaug soils
modified are hydric if the soil, in an unaltered state, was hydric. In	18	Catden and Freetown soils
order to determine whether a specific soil is a hydric soil or	96	Ipswich mucky peat
nonhydric soil, however, more specific information, such as	97	Pawcatuck mucky peat
information about the depth and duration of the water table, is needed. Thus, criteria that identify those estimated soil properties unique to hydric soils have been established (Federal Register, 2002). For more information on the criteria, on the Internet go to http://soils.usda.gov/use/hydric/.	98	Westbrook mucky peat
	99	Westbrook mucky peat, low salt
	103	Rippowam fine sandy loam
	104	Bash silt loam
	107	Limerick and Lim soils
A combination of the hydric soil, hydrophytic vegetation, and	108	Saco silt loam
hydrology properties define wetlands as described in the National	109	Fluvaquents-Udifluvents complex, frequently flooded
Food Security Act Manual (Soil Conservation Service, 1994) and the Corps of Engineers (COE) Wetlands Delineation Manual (Environmental Laboratory 1987) and COE Regional		(Fluvaquents are hydric; Udifluvents are not hydric)
	409	Brayton mucky silt loam, 0 to 8 percent slopes, very ston
(Environmental Laboratory, 1987) and COE Regional Supplements. Therefore, an area that meets the hydric soil	414	Fredon silt loam, cold
definition must also meet the hydrophytic vegetation and wetland hydrology definitions in order for it to be correctly classified as a jurisdictional wetland.	433	Moosilauke sandy loam
	435	Scarboro muck, cold
	436	Halsey silt loam, cold
	437	Wonsqueak peat
The complete list of map units with each map unit component,	438	Bucksport muck

DATA SOURCES

SOIL DATA - Soil map units shown on this map are from the 2007 Soil Survey Geographic Database (SSURGO) database produced by the USDA, Natural Resources Conservation Service (NRCS). The soils were mapped at a scale of 1:12,000 with a minimum size delineation of three acres. Enlargement of this map beyond the original source scale will not show additional detail and can cause misunderstanding of the detail of mapping. For the most recent soils data contact the NRCS.

(eFOTG) at the Connecticut NRCS website

(www.ct.nrcs.usda.gov).

BASE MAP DATA - Based on data originally from 1:24,000-scale USGS 7.5 minute topographic quadrangle maps published between 1969 and 1992. It includes political boundaries, railroads, airports,

hydrography, geographic names and geographic places. Streets and street names are from Tele Atlas copyrighted data. Base map information is neither current nor complete.

Mudgepond silt loam, cold


Medomak silt loam


Brayton-Loonmeadow complex, extremely stony

Mudgepond and Alden soils, extremely stony, cold

RELATED INFORMATION This map is intended to be printed at its original dimensions in order to maintain the 1:24,000 scale (1 inch = 2000 feet).

MAPS AND DIGITAL DATA - Visit the CT ECO website for this map and a variety of others. Visit the NRCS soils website for the soils data shown on this map. Visit the CT DEP website to download the base map digital spatial data shown on this map.







STATE OF CONNECTICUT DEPARTMENT OF ENVIRONMENTAL PROTECTION 79 Elm Street Hartford, CT 06106-5127

Map prepared by CT DEP October 2009 Map is not colorfast
Protect from light and moisture



